


**EBM PAPST - FAN MOTOR ASSEMBLY (USED ON HC PRODUCTS)**

STOCK NO.	PRODUCT NUMBER	DIA (mm)	DESCRIPTION	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
W4710	S4E300AP26-44	300	4 x 6.5mm Mount Hole	80	0.36	1	2	<b>313.00</b>
W4712	S4E350-AP06-90	350		130	0.58	1	4	<b>415.00</b>
W4714	S4D350-AN0845	350		170	0.37	3	-	<b>415.00</b>
W4716	S4E400-AP02-69	400	4 x 8.5mm Mount Hole	160	0.73	1	6	<b>520.00</b>
W4718	S4D400-API2-38	400		135	0.44	3	-	<b>520.00</b>
W4720	S4E450-AP014-01	450		245	1.10	1	8	<b>760.00</b>
W4722	S4E450-AP01-01	450		340	0.58	3	-	<b>760.00</b>
			480	0.98				
W4724	S4E500-AN03-01	500	4 x 8.5mm Mount Hole	680	3.0	1	12	<b>890.00</b>
W4726	S4D500-AM03-01	500	4 x 8.5mm Mount Hole 2 Speed Y/Δ	550	0.85	3	-	<b>890.00</b>
				720	1.41			
W4728	S4D630-AD01-01	630	4 x 8.5mm Mount Hole 2 Speed Y/Δ	1750	2.95	3	-	<b>1,380.00</b>
				2630	4.78			



**EBM PAPST - FAN MOTOR ASSEMBLY**

STOCK NO.	PRODUCT NUMBER	DIA (mm)	DESCRIPTION	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3121	S4E300AP26-44	300	4 Point Grille, 8mm Mount Hole	100	0.32	1	2	<b>367.00</b>
F3049	S4E300-AB03-43	300	4 Point Grill Reverse Airflow (A)	75	0.32	1	1.5	<b>408.00</b>
F3110	S4E350AP06-48	350	Standard 4 Point Grille	130	0.58	1	4	<b>511.00</b>
F3110B	S4E400AP02-44	400		160	0.71	1	6	<b>624.00</b>
F3109	S4E450AU03-37	450		350	1.55	1	8	<b>882.00</b>



**REALCOLD - FAN MOTOR ASSEMBLY**


STOCK NO.	PRODUCT NUMBER	DIA (mm)	DESCRIPTION	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3852A	YWF4E-200	200	<b>4 Pole</b> External Rotor Motor Complete with 4 Point Mounting basket	40	0.21	1	1.5	<b>241.00</b>
F3852B	YWF4E-250	250		50	0.23	1	2.0	<b>262.00</b>
F3853	YWF4E-300	300		85	0.42	1	3.0	<b>269.00</b>
F3856	YWF4E-350	350		140	0.65	1	4.0	<b>353.00</b>
F3859	YWF4E-400	400		180	0.82	1	6.0	<b>370.00</b>
F3858	YWF4D-400	400		180	0.47	3	-	<b>370.00</b>
F3860	YWF4E-450	450		250	1.20	1	8.0	<b>578.00</b>
F3864	YWF4D-450	450		250	0.60	3	-	<b>578.00</b>
F3865	YWF4E-500	500		420	1.95	1	10	<b>604.00</b>
F3866	YWF4D-500	500		420	0.90	3	-	<b>604.00</b>
F3870	YWF4D-550	550		600	1.20	3	-	<b>729.00</b>
F3855	YWF6E-350	350		<b>6 Pole</b> External Rotor Motor Complete with 4 Point Mounting basket	80	0.40	1	3.0
F3859A	YWF6E-400	400	110		0.50	1	4.0	<b>378.00</b>
F3862	YWF6E-450	450	150		0.75	1	6.0	<b>578.00</b>
F3868	YWF6D-500	500	230		0.55	3	-	<b>604.00</b>
F3871	YWF6D-550	550	330		0.90	3	-	<b>729.00</b>
F3872	YWF4D-630	630	400		1.30	3	-	<b>838.00</b>



All above motors are induced draught (M) type with the exception of F3049 which is (A) type forced draught

### ZIEHL-ABEGG FAN MOTOR ASSEMBLY - FB STYLE


STOCK NO.	PRODUCT NUMBER	DIA (mm)	BLADE TYPE	M <sup>3</sup> hr	RPM	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3112	FB045-4EK.4F.6P	450	4 x Sheet Metal	5900	1325	480	2.30	1	10	<b>1155.00</b>
F3126	FB050-4EK.4F.6L	500	4 x Sheet Metal	7100	1240	570	2.70	1	12	<b>1255.00</b>
F3120	FB050-VDK.4F.6L	500	4 x Sheet Metal	7100	1370	580	1.15	3	-	<b>1176.00</b>
F3189	FB056-6EK.4I.6P	560	4 x Sheet Metal	8300	930	470	2.50	1	12	<b>1243.00</b>
F3130D	FB063-6EK.4I.V4P	630	4 x Sheet Metal	11200	830	670	3.30	1	14	<b>1341.00</b>
F3130C	FB063-SDK.4I.V4P	630	4 x Sheet Metal	12500	1300	1100	2.20	3	-	<b>1285.00</b>



FB Style

### ZIEHL-ABEGG FAN MOTOR ASSEMBLY - FE STYLE

STOCK NO.	PRODUCT NUMBER	DIA (mm)	BLADE TYPE	M <sup>3</sup> hr	RPM	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3119	FE050-4EK.4I.6P	500	7 x Die Cast Sickle	9050	1180	640	2.80	1	10	<b>1,213.00</b>
F3123	FE050-VDK.4I.6P	500	7 x Die Cast Sickle	8300	1330	650	1.15	3	-	<b>1,594.00</b>
F3130E	FE071-SDK.6F.6	710	7 x Die Cast Sickle	14700	900	880	1.65	3	-	<b>2,510.00</b>



FE Style

### ZIEHL-ABEGG FAN MOTOR ASSEMBLY - SQUARE PLATE

STOCK NO.	PRODUCT NUMBER	DIA mm	PLATE SIZE	M <sup>3</sup> hr	RPM	WATTS	AMPS	PH	PRICE \$ excl. GST
F3118	FC050-VDQ.4F.5	500	600 x 600 (Grey)	8300	1400	550	1.15	3	<b>1544.00</b>
F3125	FE050-VDQ.4I.5	500	600 x 600 (Grey)	9700	1340	780	1.35	3	<b>1607.00</b>
F3129A	FE063-VDQ.6N.5	630	805 x 805 (Grey)	20200	1310	2600	4.80	3	<b>2917.00</b>
F3130	FC063-VDQ.6K.5	630	805 x 805 (Low Temp)	18200	1310	1900	3.45	3	<b>2927.00</b>
F3151	FE080-SDQ.6N.5	800	970 x 970	25600	880	2000	4.00	3	<b>3408.00</b>



### ZIEHL-ABEGG - MOTOR & BLADE LESS BASKET

STOCK NO.	PRODUCT NUMBER	DIA (mm)	BLADE TYPE	M <sup>3</sup> hr	RPM	WATTS	AMPS	PH	RUN CAP	PRICE \$ excl. GST
F3147	FE050-VDA.4I.2	500	7 x Die Cast Sickle	9700	1340	780	1.35	3	-	<b>1,188.00</b>
F3128	FC063-VDA.6K.2	630	7 x Die Cast	18200	1310	1900	3.45	3	-	<b>1,838.00</b>



FC Style



← Induced (M)  
→ Forced (A)

All above motors are **(M)** type induced draught

### OPEN FRAME MOTORS (Domestic Style)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	STACK	ROTATION	SHAFT	PRICE \$ excl. GST
F3156A	JRF03CW	Tesonic Domestic F/Free	1.5	0.11	3/8"	Reversible	1/8"	<b>41.00</b>
F3106	J03RF03T DR201	Fasco Domestic F/Free	1.5	0.11	3/8"	Reversible	1/8"	<b>65.00</b>
F3510	J236-062-6308 SM672	Includes 140mm & 100mm Fan Blades + Hardware	4.0	0.32	5/8"	Reversible	3/16"	<b>67.00</b>



### OPEN FRAME MOTORS 240V

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	STACK	ROTATION	SHAFT	PRICE \$ excl. GST
F3100	J06BM15T	Muller CSN,CSI, Inc. Plug	4.0	0.34	3/4"	Reversible	3/16"	<b>86.00</b>
F3093	J04RF01T	Kirby, Repco Cabinet Coils	4.5	0.30	1/2"	ACW	3/16"	<b>72.00</b>
F3095	J06BM19T	General Purpose	6.0	0.30	3/4"	Reversible	3/16"	<b>72.00</b>
F3097	J06RF17T	Front Mount, Long Shaft	6.0	0.27	3/4"	Reversible	3/16"	<b>78.00</b>
F3103	J09BM05T	Replaces 46C019-02A	7.0	0.25	1 1/8"	ACW	1/4"	<b>102.00</b>
F3102	J09OR05ST	Threaded Shaft Suits Orford Cabinets	12	0.45	1 1/8"	ACW	Threaded Shaft	<b>107.00</b>
F3105	J12BM07T	Extra Heavy Duty	10	0.43	1 1/2"	Reversible	1/4"	<b>116.00</b>



### OPEN FRAME MOTORS (Barrel Fan Replacement)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	STACK	ROTATION	SHAFT	PRICE \$ excl. GST
F3048	J12FB99	Double Shaft 2 Speed	10	0.44	1 1/2"	Double Shaft	1/4" 100mm	<b>194.00</b>



### CASE MOTOR

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3091	5 - D564	Water Resistant Case Fan Motor	9	0.33	240	ACW	Hub Drive	<b>114.00</b>
F3137	LT0009	Low Temp Case Motor	9	0.30	240	ACW		<b>80.00</b>



### EBM Q SQUARE AND HIGH EFFICIENCY MOTORS

STOCK NO.	PRODUCT NUMBER	REPLACES	MAX BLADE & PITCH	WATTS	AMPS	ROTATION	SHAFT	PRICE \$ excl. GST
F3132A	M4Q045-CA01-38	50D520-82A	230mm x 22°	7	0.19	ACW	Hub Drive	<b>95.00</b>
F3133A	M4Q045-CA01-72	Low Temp Case	230mm x 22°	7	0.19	ACW		<b>164.00</b>
F3133	M4Q045-CA03-38	50D501-81A	254mm x 22°	10	0.25	ACW		<b>93.00</b>
F3136	M4Q045-CA03-75	1500mm Lead	254mm x 22°	10	0.25	ACW		<b>111.00</b>
F3135	M4Q045-CF01-38	50D551-02A	254mm x 28°	16	0.42	ACW		<b>100.00</b>
F3138	M4Q045-EA01-38	50D502-75A	300mm x 28°	25	0.62	ACW		<b>137.00</b>
F3140	M4Q045-EF01-38	50D543-03A	300mm x 34°	34	0.75	ACW		<b>142.00</b>
F3183	iQ3612	UP TO 23W	254mm x 28°	VARIABLE		ACW		<b>159.00</b>
F3184	iQ3620	UP TO 32W	300mm x 22°	VARIABLE		ACW		<b>208.00</b>
F4162	71884-2-4053	U type Fan Motor bracket Suits EBM Q Series - 80mm High						<b>9.50</b>



### DOUBLE SHAFT - BI-DIRECTIONAL

STOCK NO.	PRODUCT NUMBER	WATTS	AMPS	VOLTS	ROTATION	MAX. FAN BLADE	SHAFT	PRICE \$ excl. GST
F3050	50D501-80AT	10	0.30	240	Bi-Directional	225mm 40°	5/16"	<b>105.00</b>
F3053	50D502-80AT	20	0.50	240	Bi-Directional	250mm 40°	5/16"	<b>111.00</b>
F3055	50D503-80AT	40	0.75	240	Bi-Directional	275mm 40°	5/16"	<b>121.00</b>
F3058	50D505-80AT	60	1.15	240	Bi-Directional	350mm 40°	5/16"	<b>221.00</b>



### THREADED SHAFT / HUB MOUNT

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3063	50D520-82AT	Replaces 30D520-79A	8	0.18	240	ACW	Hub Drive	<b>167.00</b>
F3060	50D501-81AT	Replaces 30D501-70A	13	0.38	240	ACW		<b>164.00</b>
F3066	50D552-01AT	BKM90150 c/w Braided cord	10	0.32	240	ACW		<b>183.00</b>
F3065	50D551-02AT	BKM90170 c/w Spade Connectors	20	0.41	240	ACW		<b>197.00</b>
F3071	50D543-03AT	Heavy Duty	35	0.55	240	ACW		<b>202.00</b>



### 415 VOLT (2 PHASE)

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3068	50D509-22AT	Kirby Style	40	0.45	415	ACW	5/16"	<b>208.00</b>
F3067	50D509-11AT	Heavy Duty	40	0.45	415	ACW	Hub Drive	<b>212.00</b>



### AGITATOR MOTORS

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3073	50D521-76AT	140mm long shaft	15	0.30	240	ACW	Threaded Shaft	<b>294.00</b>
F3070	50D521-77AT	190mm long shaft	15	0.30	240	ACW	Threaded Shaft	<b>318.00</b>



### SPECIAL PURPOSE

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	ROTATION	SHAFT	PRICE \$ excl. GST
F3090	50D551-01AT	Replaces 2868-509-039	14	0.48	240	ACW	5/16"	<b>183.00</b>
F3074	50D505-71C	BP146C (MULLER) 4 Stud Mount	60	1.0	240	CW	5/16"	<b>226.00</b>
F3056	50D543-04AT	105mm Long shaft Plus Cooling fan	35	0.63	240	ACW	5/16"	<b>319.00</b>



### BRACKETS & BEARINGS

STOCK NO.	PRODUCT NUMBER	TYPE	MOUNTS	PRICE \$ excl. GST
F3501	MUA134-1	50D Series Spider Bracket Suits 254mm Fan Blade	220 x 220 Footprint	<b>100.00</b>
F3506	MUA133-1	50D Series Spider Bracket Suits 300mm Fan Blade	285 x 400 Footprint	<b>114.00</b>
F4162	71884-2-4053	U type Fan Motor bracket Suits EBM Q Series	80mm high	<b>9.50</b>
F3075	391-074-01	Replacement Bearing Kit	Suits 30D, FM OR 50D SERIES	<b>29.00</b>



### LUG MOUNT MOTORS

STOCK NO.	PRODUCT NUMBER	REPLACES / APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3082	808557NVB-B11	2 Speed suit Email A/C 4 x Lug Mount	450	3.0	240	20	CW	3/4" x 75mm	<b>829.00</b>



### EVAPORATIVE COOLER MOTORS (Drip Proof)

STOCK NO.	PRODUCT NUMBER	REPLACES / APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3240	80855BPVA-A11	Variable Speed Resilient Mount Suits Celair	600	4.2	240	15	CW	1/2" x 100mm	<b>959.00</b>
F3202	809455QVBB13S	3 Speed Frame mount	750	4.6	240	20	ACW	5/8" x 50mm	<b>819.00</b>
F3224	809455SVA-B12	Double Shaft 3 Speed Resilient Mount	1100	6.3	240	30	Double	1/2" x 200mm	<b>1,143.00</b>



### EVAPORATIVE COOLER PUMPS

STOCK NO.	PRODUCT NUMBER	Litres / Minute at 1 mtr head	GENERAL APPLICATION	WATTS	VOLTS	PRICE \$ excl. GST
F3142	JRM28	21.5	Cooler up to 2800l/s	28	240	<b>147.00</b>
F3142A	JRM38	27.5	Cooler up to 4200l/s	38	240	<b>126.00</b>
F3143	JRM50	35.5	Cooler up to 5400l/s	50	240	<b>163.00</b>
-	EBM40	35	EBM Spinning top style	38	240	<b>P.O.A</b>



### COMPACT AXIAL FAN ASSEMBLY

STOCK NO.	PRODUCT NUMBER	DESCRIPTION	CASE SIZE	WATTS	AMPS	PRICE \$ excl. GST
F3163	S088-2-HWB	Computer / Electrical Panel Fan	80 X 80 X 38 mm	14	0.07	<b>63.00</b>
F3216	S128-2-HTB	Computer / Electrical Panel Fan	120 X 120 X 38 mm	17	0.14	<b>74.00</b>
F3217	C180-1	Lead To Suit S088 / S128 Motor				<b>6.50</b>



### EBM PAPST - SPECIAL APPLICATION

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	BLADE DIAMETER	PRICE \$ excl. GST
F3228	R2S133AE17-05	Backward Curved Evaporator Fan Motor	36	0.25	240	-	133mm	<b>268.00</b>
F3196	R2E180-CB28-09		60	0.28	240	1.5	180mm	<b>284.00</b>
F3198	R2E190-A026-37		58	0.26	240	2.0	190mm	<b>227.00</b>
F3199	R2E220-AA52-72		85	0.38	240	3.0	220mm	<b>279.00</b>





**WEATHERPROOF - S SERIES (With Rear Junction Box)**

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3098	808557KTB-A11	Replaces 61S059-80 3 Speed	150	1.2	240	6	Reversible	1/2" x 62mm	<b>695.00</b>
F3079	808554LTB-A80	Replaces 61S072-80 1400 Rpm 1 Speed	180	1.25	240	4	Reversible	1/2" x 70mm	<b>643.00</b>
F3078	8061S137-80	1 Speed- S series	250	2.3	240	4	Reversible	1/2" x 70mm	<b>682.00</b>


**WEATHERPROOF - S SERIES (Condenser Fan)**

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3072	8061S009-06	1 Speed 915 Rpm	250	2.5	240	6	CW	1/2" X 80mm	<b>734.00</b>
F3086	8061S118-02	3 Speed Band Mount	300	2.7	240	6	CW	1/2" x 62mm	<b>792.00</b>
F3040	808557NTA-A11	3 Speed Band Mount	370	2.4	240	12	CW	1/2" x 100mm	<b>734.00</b>
F3206	8061S148-01	3 Speed Band Mount Suits Alcair (note vented rear)	410	3.2	240	15	CW	1/2" x 62mm	<b>804.00</b>



■ S Series and 808 motors Standard band mount unless specified see below for brackets

**BRACKETS - S SERIES AND 808 MOTORS**

STOCK NO.	PRODUCT NUMBER	TYPE	Inside Diameter mm	Outside Diameter Inc.Studs	MOUNTS	PRICE \$ excl. GST
F3500	391-127-A	4 Bolt Band Mounting Bracket Suits S & 808 series	140	160	4 x 3/8" Studs welded	<b>104.00</b>
F3503	391-127-V	3 or 4 Bolt Band Mounting Bracket Suits S & 808 series	140	176	4 x 3/8" Studs Adjustable	<b>90.00</b>
F3502	391-127-U	3 or 4 Bolt Band Mounting Bracket Suits S & 808 series	140	189	4 x 3/8" Studs Adjustable	<b>90.00</b>
F3505	5-8725-6021	Plastic "Slinger" Cover Directs Water Runoff Away From Motor			Suits 1/2" Shaft	<b>38.00</b>
F3505A	5-8860-6000	Suits S & 808 Series motors			Suits 5/8" Shaft	<b>52.00</b>



Band Mount bracket (welded studs)

**SCROLL FAN - SINGLE SHAFT (Evaporator Fan)**


STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3085A	8061S109-03	3 Speed Resilient Mount Replaces 8061S109-03	315	2.5	240	4	ACW	1/2" x 70mm	<b>675.00</b>
F3204	8061S082-03	3 Speed Resilient Mount	600	4.4	240	15	CW	1/2" x 70mm	<b>725.00</b>
F3209	8061S128-02	3 Speed Resilient Mount	750	4.9	240	20	CW	1/2" x 70mm	<b>762.00</b>


**SCROLL FAN - DOUBLE SHAFT (Evaporator Fan)**

STOCK NO.	PRODUCT NUMBER	REPLACES/ APPLICATION	WATTS	AMPS	VOLTS	RUN CAP	ROTATION	SHAFT	PRICE \$ excl. GST
F3085	8061S109-01	3 Speed Multi Purpose RAC Usage	425	3.35	240	2-10	Reversible	1/2" x 200mm	<b>638.00</b>
F3204E	8061S082-80	3 Speed Resilient Mount	600	4.00	240	15	Reversible	1/2" x 235mm	<b>810.00</b>
F3041	8081555QVA-A11S	3 Speed Resilient Mount Replaces 8061S128-80	750	4.90	240	20	Reversible	1/2" x 180mm	<b>880.00</b>
F3237	809455XVB-B13	3 Speed Resilient Mount	1500	8.4	240	30	Reversible	1/2" x 235mm	<b>1,117.00</b>



## FASCO/TORIN FAN DECKS



### Torin

- Motor: 240V AC, Single Phase, 4 Pole, 3 Speed
- Motor Watt Range: 130W to 1100W
- All motors have thermal overload
- Galvanised Steel Housing
- Steel Fan Wheel


### SINGLE FAN DECKS

STOCK NO.	PRODUCT NUMBER	WATTS	WHEEL (mm) DIA X WIDTH	DIMENSIONS (MM)				PRICE \$ excl. GST
				A	B	C	D	
F3558	DDG203-203-481	180	203 x 203	386	248	306	319	<b>468.00</b>
F3557	DDG203-203-060	315	203 x 203	386	248	306	319	<b>468.00</b>
F3555	DDG241-181-200	425	241 x 181	305	234	380	392	<b>517.00</b>
F3559	DDG241T-181-200	425	241 x 181	305	234	325	327	<b>501.00</b>
F3219	DDC241-241-200	425	241 x 241	345	300	380	392	<b>508.00</b>
F3218	DDC241-241-300	600	241 x 241	365	300	380	392	<b>567.00</b>
F3220	DDG270-270-300	600	270 x 270	400	334	420	442	<b>586.00</b>
F3560	DDC270-270-360	750	270 x 270	400	334	420	442	<b>618.00</b>




### TWIN FAN DECKS


STOCK NO.	PRODUCT NUMBER	WATTS	WHEEL (mm) DIA X WIDTH	DIMENSIONS (MM)				PRICE \$ excl. GST
				A	B	C	D	
F3561	DXA080-102-002		80 x 102	448	94	121	127	<b>301.00</b>
F3562	DXA158-203-561	130	158 x 203	800	255	262	270	<b>586.00</b>
F3566	DXG203-203-401	315	203 x 203	813	308	306	320	<b>651.00</b>
F3567	DXG203-203-441	600	203 x 203	813	308	306	320	<b>734.00</b>
F3570	DXG241T-181-441	600	241 x 181	813	308	325	327	<b>719.00</b>
F3571	DXG241T-181-521	750	241 x 181	810	300	380	327	<b>801.00</b>
F3569	DXG241-181-521	750	241 x 181	810	300	380	392	<b>835.00</b>
F3563	DXC241-241-521	750	241 x 241	900	300	380	392	<b>882.00</b>
F3564	DXC241-241-541	1100	241 x 241	1040	305	380	392	<b>1654.00</b>



Single Fan Decks




Twin Fan Decks




### BARREL FAN ASSEMBLIES

STOCK NO.	PRODUCT NUMBER	SPEED	WHEEL (mm) DIA X WIDTH	DIMENSIONS (MM)			PRICE \$ excl. GST
				A	B	C	
F4100	FTR180-93-02	Single	60	204	55	193	<b>177.00</b>
F4100A	FZR300-93-02			326	55	315	<b>177.00</b>
F4100C	FZR360-93-02			385	55	374	<b>334.00</b>



### FAN BLADE SELECTION



- Determine blade diameter and pitch needed
- Determine air direction required - This is facing the blade (regardless of boss position or motor direction)
- Suck (Induced) is the air being drawn towards the motor (V)
- Blow is the air being blown away from the motor (A)
- Boss position is UNDER fan blade unless specially ordered

### PLASTIC PUSH ON TYPE - MULTI PURPOSE

STOCK NO.	PRODUCT NUMBER	DIAMETER mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F3993	5-R5-56-5AC187	125 (5)	5	3/16"	Forced on ACW Suck on CW Motor	<b>42.00</b>
F3994	5-S7-3-CW0187	170 (7)	3	3/16"	Forced on CW Suck on ACW Motor	<b>45.00</b>
F3995	5-R10530CWD312	250 (10)	5	5/16"		<b>48.00</b>
F3995A	5-R12-3CWD312	300 (12)	5	5/16"		<b>53.00</b>



### HUB MOUNT - 4 PIN ONE PIECE ALUMINIUM

STOCK NO.	DIAMETER mm	PITCH	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4150	154	34°	5	Hub Mount	Forced on Anti Clockwise Motor (A)	<b>8.50</b>
F4151	172	28°				<b>13.70</b>
F4152	200	34°				<b>14.70</b>
F4153	230	34°				<b>17.00</b>
F4154	254	28°				<b>20.00</b>
F4155	300	34°				<b>26.00</b>
F4156	154	34°	5	Hub Mount	Induced on Anti Clockwise Motor (V)	<b>10.50</b>
F4157	172	34°				<b>12.60</b>
F4149	200	28°				<b>14.70</b>
F4158	200	34°				<b>16.00</b>
F4159	230	28°				<b>19.00</b>
F4160	254	34°				<b>23.00</b>
F4161	300	34°				<b>27.00</b>



### TYPE U LIGHT DUTY - 1 PIECE ALUMINIUM

STOCK NO.	PRODUCT NUMBER	Diameter mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4035	PU5178A30R05AA	178 (7)	5	51/6"	Forced on Clockwise Motor	<b>42.00</b>
F4036	PU5203A30R05AA	203 (8)				<b>45.00</b>
F4048	PU5203N30R05AA				Induced on Anti Clockwise Motor	<b>45.00</b>
F4037	PU5203N40R05AA	<b>45.00</b>				
F4038	PU5229N30R05AA	229 (9)			Forced on Clockwise Motor	<b>47.00</b>
F4039	PU5254A30R05AA					<b>51.00</b>
F3999	PU5254N30R05AA	254 (10)			Induced on Anti Clockwise Motor	<b>51.00</b>





**TYPE "S" STANDARD DUTY**

STOCK NO.	PRODUCT NUMBER	DIAMETER mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4000A	PS3178N25L05AA	178 (7)	3	51/6"	Induced on Clockwise Motor	<b>81.00</b>
F4000B	PS3178N30R05AA				Induced on Anti Clockwise Motor	<b>81.00</b>
F4051	PS3203N25L05AA	203 (8)	3		Induced on Clockwise Motor	<b>82.00</b>
F4052	PS3203N25R05AA				Induced on Anti Clockwise Motor	<b>82.00</b>
F4053	PS3203N30L05AA				Induced on Clockwise Motor	<b>82.00</b>
F4054	PS3203N30R05AA				Induced on Anti Clockwise Motor	<b>82.00</b>
F4055	PS3229N30L05AA	229 (9)	3		Induced on Clockwise Motor	<b>91.00</b>
F4056	PS3229N30R05AA				Induced on Anti Clockwise Motor	<b>91.00</b>
F4059	PS3254N25R05AA	254 (10)	3		Induced on Anti Clockwise Motor	<b>93.00</b>
F4060	PS3254N30L05AA				Induced on Clockwise Motor	<b>93.00</b>
F4012A	PS3254A30R05AA				Forced on Clockwise Motor	<b>93.00</b>
F4061	PS4254A30L05AA		4		Forced on Anti Clockwise Motor	<b>93.00</b>
F4062	PS4254A30R05AA			Forced on Clockwise Motor	<b>93.00</b>	
F4063	PS4254N30R05AA			Induced on Anti Clockwise Motor	<b>93.00</b>	
F4064	PS4254N40L05AA	Induced on Clockwise Motor		<b>93.00</b>		
F4067	PS3305A25R05AA	305 (12)	3	Forced on Clockwise Motor	<b>95.00</b>	
F4068	PS3305N25R05AA			Induced on Anti Clockwise Motor	<b>95.00</b>	
F4069	PS3305N30L05AA			Induced on Clockwise Motor	<b>95.00</b>	
F4019	PS3305N30R05AA			Induced on Anti Clockwise Motor	<b>95.00</b>	



**TYPE "M" MEDIUM DUTY**

STOCK NO.	PRODUCT NUMBER	DIAMETER mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4025	PM3356A25L05AA	356 (14)	3	1/2"	Forced on Anti Clockwise Motor	<b>105.00</b>
F4024A	PM3356N25R05AA				Induced on Anti Clockwise Motor	<b>105.00</b>
F4029A	PM3406A25R08AA	406 (16)	3	1/2"	Forced on Clockwise Motor	<b>111.00</b>
F4030	PM3406N25R08AA				Induced on Anti Clockwise Motor	<b>111.00</b>
F4034A	PM3406N25R10AA			5/8"	Induced on Anti Clockwise Motor	<b>111.00</b>



**TYPE "H" HEAVY DUTY**

STOCK NO.	PRODUCT NUMBER	DIAMETER mm (Inches)	BLADES	BORE	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
F4073	PH3457A25R08AA	457 (18)	3	1/2"	Forced on Clockwise Motor	<b>168.00</b>
F4074	PH3457N30R08AA				Induced on Anti Clockwise Motor	<b>168.00</b>

## MULTI-WING FAN BLADES



### Features

Multiwing blades and Bosses are designed to replace a wide range of Condenser and Evaporator fan assemblies. Simply select blade diameter and pitch - select boss diameter - bolt together - Instant fan blade!

The 8D series provides a successful combination of high airflow and high-pressure rates at low speeds and produces low noise levels. The fact that it's made up of a modest number of components makes it highly cost-efficient.


### MULTIWIING / MULTIPURPOSE

STOCK NO.	PRODUCT NUMBER	DIAMETER mm	BLADES	PITCH	AIRFLOW (FACING BLADE)	PRICE \$ excl. GST
<b>Blades (set of 2)</b>						
F4108	8DR/450/35	450	4 (set of 2)	35°	Blow On Clockwise Motor	<b>158.00</b>
F4104	8DR/508/30	508		30°		<b>163.00</b>
F4106	8DR/560/40	560		40°		<b>174.00</b>
F4114	8DR/610/30	610		30°		<b>179.00</b>
F4110	8DR/610/40	610		40°		<b>179.00</b>
F4120	8DR/660/35	660		35°		<b>184.00</b>
<b>Boss</b>						
F4107	8D-BOSS-1/2	1/2"			Boss can be mounted on motor side or Blade side	<b>74.00</b>
F4105	8D-BOSS-5/8	5/8"				<b>74.00</b>
F4109	8D-BOSS-19	19 mm				<b>82.00</b>



- The Multiwing 8D series covers diameters from 360mm up to 660mm. The relatively small diameter and the broad, paddle-shaped profile of the fan blades makes the D-series ideal for smaller heat exchanger applications such as oil coolers, air-cooled condensers and dry coolers. With fan blades of glass reinforced polyamide they can be used in low temperature evaporator applications as well.

### Design Features



- Injection moulded impeller of engineered thermoplastic materials. The fan blades are moulded in pairs of two.
- Impeller has 2 or 4 fixed pitch, positively set fan blades. The fan blades have a unique broad paddle shaped profile and are available in 4 standard pitch angles of 25°, 30°, 35°, and 40°.
- Only available in a configuration where the fan blades rotate in a clockwise direction when facing the air stream.
- One-piece aluminium-alloy boss, which is available in a range of bore/fixing configurations.